

Package: forestPSD (via r-universe)

March 12, 2025

Type Package

Title Forest Population Structure and Numeric Dynamics

Version 1.0.0

Depends R (>= 3.5.0)

Imports ggplot2,reshape2,TTR,modelr,minpack.lm,stats,utils

Description Analysis of forest population structure and quantitative dynamics is the research and evaluation of the composition, distribution, age structure and changes in quantity over time of various populations in the forest. By deeply understanding these characteristics of forest populations, scientific basis can be provided for the management, protection and sustainable utilization of forest resources. This R package conducts a systematic analysis of forest population structure and quantitative dynamics through analyzing age structure, compiling life tables, population quantitative dynamic change indices and time series models, in order to provide support for forest population protection and sustainable management.
References: Zhang Y, Wang J, Wang X, et al(2024)<[doi:10.3390/plants13070946](https://doi.org/10.3390/plants13070946)>. Yuan G, Guo Q, Xie N, et al(2023)<[doi:10.1007/s11629-022-7429-z](https://doi.org/10.1007/s11629-022-7429-z)>.

License GPL-2

LazyData TRUE

Encoding UTF-8

NeedsCompilation no

Author Zongzheng Chai [aut, cre]
(<<https://orcid.org/0000-0002-0530-0040>>)

Maintainer Zongzheng Chai <chaizz@126.com>

Date/Publication 2024-11-11 16:50:05 UTC

Config/pak/sysreqs libicu-dev libssl-dev

Repository <https://zongzheng.r-universe.dev>

RemoteUrl <https://github.com/cran/forestPSD>

RemoteRef HEAD

RemoteSha a7ca23e9eeb0161041c52a0f78f29e94a5177082

Contents

dyn	2
goodness	3
lifetable	4
Mpre	5
Npop	6
Ntable	6
psdfun	7
Index	9

dyn	<i>Quantification of population dynamics</i>
-----	--

Description

The analysis method of replacing age structure with diameter class structure.

Usage

`dyn(ax)`

Arguments

`ax` population number of within different age class.

Details

Quantitative method was employed to analyze the dynamics of the individual number between adjacent diameter classes for the populations

Value

Result returns the results of population dynamics analysis.

Author(s)

Zongzheng Chai, chaizz@126.com

References

Zhang Y, Wang J, Wang X, Wang L, Wang Y, Wei J, et al. 2024. Population structures and dynamics of *Rhododendron* communities with different stages of succession in northwest Guizhou, China. *Plants-Basel* 13.

Examples

```
data(Npop)
dyn(ax=Npop$ax)
```

goodness

Model quality assessment.

Description

Model quality assessment.

Usage

```
goodness(model, data)
```

Arguments

model	A modle.
data	Dataset.

Details

Model quality index as follow: MSE: the mean-squared-error; RMSE: the root-mean-squared-error; Rsquare: the variance of the predictions divided by the variance of the response; adj.Rsquare: adjusted the variance of the predictions divided by the variance of the response; MAE: the mean absolute error; MAPE: the mean absolute percentage error; RASE: the relative sum of absolute errors; AIC: Akaike's An Information Criterion; BIC: Schwarz's Bayesian criterion.

Value

Result returns the results model quality index.

Author(s)

Zongzheng Chai, chaizz@126.com

Examples

```
mod <- lm(mpg ~ wt, data = mtcars)
goodness(mod, mtcars)
```

lifetable *Generte the static life table to analyze the population dynamic changes.*

Description

Static life tables were used to analyze the dynamic changes.

Usage

```
lifetable(ax)
```

Arguments

ax Population number of within different age class.

Details

Generte the static life table to analyze the population dynamic changes.

Value

Result returns the results of a static life table, which includes the following parameters, ax: existing individual number within age class x; lx: standardized survival number at the beginning of age class x (generally converted to 1000); lnlx: logarithmicstandardized survival number; dx: standardized death number within the interval from age class x to x + 1; qx: mortality rate; Lx: average survival number within the interval from ageclass x to x + 1; Tx: total survival number from age class x and beyond; ex: life expectancy of individuals entering age class x; Sx: survival rate; Kx: disappearance rate of the population.

Author(s)

Zongzheng Chai, chaizz@126.com

References

Zhang Y, Wang J, Wang X, Wang L, Wang Y, Wei J, et al. 2024. Population structures and dynamics of Rhododendron communities with different stages of succession in northwest Guizhou, China. Plants-Basel 13.

Examples

```
data(Npop)
lifetable(ax=Npop$ax)
```

Mpre

Time sequence prediction for the population dynamic changes.

Description

The renewal ability of populations was simulated and predicted using the moving average method.

Usage

```
Mpre(ax, n=c(2, 4, 6))
```

Arguments

ax Population number of within different age class.
n Number of periods to average over. Must be between 1 and nrow(x), inclusive.

Details

The renewal ability of populations was simulated and predicted using the moving average method.

Value

Result returns the results of the simulated and predicted the population dynamic changes using the moving average method.

Author(s)

Zongzheng Chai, chaizz@126.com

References

Zhang Y, Wang J, Wang X, Wang L, Wang Y, Wei J, et al. 2024. Population structures and dynamics of Rhododendron communities with different stages of succession in northwest Guizhou, China. *Plants-Basel* 13.

Examples

```
data(Npop)
Mdata<-Mpre(ax=Npop$ax, n=c(2, 3, 5, 6, 8, 10))
library(reshape2)
Mdata.melt<-reshape2::melt(Mdata, id=c("rank", "ageclass"))
Mdata.melt$ageclass<-factor(Mdata.melt$ageclass, levels=unique(Mdata.melt$ageclass))
library(ggplot2)
Mpre.p<-ggplot()+geom_line(aes(x=ageclass, y=value, color=variable, group=variable),
                           linewidth=0.5, data=Mdata.melt)+
  xlab("Age class")+ylab("Number of individuals")+labs(color=" ")
Mpre.p
```

Npop

Data for forest population number of within different age class.

Description

Forest population number of within different age class.

Usage

```
data("Npop")
```

Format

A data frame with 11 observations on the following 3 variables from the forest population survey data

rank Rank of age class of forest population.

ageclass Age class of forest population.

ax Forest population number of within different age class.

Details

Population number of within different age class.

Author(s)

Zongzheng Chai, chaizz@126.com

Examples

```
data(Npop)
Npop
```

Ntable

Organize the data into a data format suitable for population structure analysis.

Description

Organize the data into a data format suitable for population structure analysis.

Usage

```
Ntable(ax)
```

Arguments

ax Population number of within different age class.

Details

Organize the data into a data format suitable for population structure analysis.

Value

Result returns the data for forest population number of within different age class, the data format is the data.frame.

Author(s)

Zongzheng Chai, chaizz@126.com

Examples

```
data(Npop)
Npop

##Generate the Npop data##
number=c(8283,5238,1921,1425,926,659,479,228,57,24,10)
Ntable(ax=number)
```

psdfun

Regression analysis for survival curves.

Description

Regression analysis for survival curves between number of individuals and age class.

Usage

```
psdfun(ax,a=100,b=6,index="Deevey2")
```

Arguments

ax Population number of within different age class.
a Initial values for model fitting.
b Initial values for model fitting.
index Forms of survival curves,which includes:Deevey1, Deevey2,Deevey3.Note:Deevey1 is the linear model; Deevey3 is the exponential model;Deevey2 is the power model.

Details

Regression analysis for survival curves between number of individuals and age class.

Value

Result returns the results of regression analysis for survival curves.

Author(s)

Zongzheng Chai, chaizz@126.com

References

Zhang Y, Wang J, Wang X, Wang L, Wang Y, Wei J, et al. 2024. Population structures and dynamics of Rhododendron communities with different stages of succession in northwest Guizhou, China. *Plants-Basel* 13.

Examples

```
data(Npop)
psd_D1<-psdfun(ax=Npop$ax, index="Deevey1")
psd_D1
psd_D2<-psdfun(ax=Npop$ax, index="Deevey2")
psd_D2
psd_D3<-psdfun(ax=Npop$ax, index="Deevey3")
psd_D3
library(ggplot2)
psdnls.p<-ggplot()+geom_bar(aes(x=age,y=ax,group=ageclass),data=psd_D2$Data,stat = "identity")+
  geom_line(aes(x=age,y=predict),color="blue",linewidth=1,data=psd_D2$Data)+
  geom_text(aes(x=10,y=7700),label=expression(paste(italic(y),"=aexp(-b",italic(x),")")))+
  geom_text(aes(x=10,y=7300),label=expression(paste(R^2,"=0.987")))+
  scale_x_continuous(breaks=1:11)+
  scale_x_discrete(limits=psd_D2$Data$ageclass)+
  xlab("Age class")+ylab("Number of individuals")
psdnls.p
```


Index

`dyn`, [2](#)

`goodness`, [3](#)

`lifetable`, [4](#)

`Mpre`, [5](#)

`Npop`, [6](#)

`Ntable`, [6](#)

`psdfun`, [7](#)